

## ECO R Light Oil Burner



### Principais Caraterísticas

- Silent operation;
- Universal flange;
- Stabilized ventilation with a flow/pressure curve that ensures a pressure reserve, very useful during the start-up stage;
- Uniform air distribution which allows a reduction in excess air in combustion and obtaining high performance;
- Fuel pre-heating;
- Simple maintenance;
- Manual air admission regulation and from the exterior;
- Manual regulation of the combustion head from the exterior which allows tuning even during operation;
- Combustion head with precise shape and construction emitting low levels of CO and NOx protecting the environment;
- Ventilator with large aspiration power, allows use with combustion chambers with high load losses.

### Descrição do Produto

Domestic diesel burner with 1 level of flame, with powers of 14,2 to 86,6kW.


### Modelos e Preços

Código	Modelo
1101-0242	Light Oil Burner ECO7 RN (Monophasic)
1101-0205	Light Oil Burner ECO5 RN (Monophasic)
1101-0204 *	Light Oil Burner ECO3 R (Monophasic)


\*Sob encomenda especial

### Dimensões

	A	B	C	D	E	F
ECO 3R	250	215	320	90	160	80
ECO 5R	280	247	342	90	195	80
ECO 7R	280	247	410	140	195	90



## Curva de Potência



TECHNICAL DATA	ECO 3R	ECO 5RN	ECO 7R
Power (kW) Minimum	14,23	30,80	52,18
Power (kW) Maximum	35,60	59,30	86,60
Consumption (kg/h)	1,2 to 3,0	2,6 to 5,0	4,4 to 7,3
Power supply [V/Hz]	230/50	230/50	230/50

