

ACESSÓRIOS



Siloz metalic

Descrição do Produto

Silozuri metalice constructie de înaltă calitate și oțel zincat ondulat de lungă durată.
Capacități disponibile: de la 2,8 la 24 tone.

Modelos e Preços

Código	Modelo
2701-0224	Galvanized Silo 255/13 Biomass
2701-0225	Galvanized Silo255/16 Biomass
2701-0223	Galvanized Silo255/10 Biomass
2701-0222	Galvanized Silo255/7 Biomass
2701-0221 *	Galvanized Silo230/15 Biomass
2701-0226	Galvanized Silo255/20 Biomass
2701-0227	Galvanized Silo280/8 Biomass
2701-0231 *	Galvanized Silo280/25 Biomass
2701-0230 *	Galvanized Silo280/20 Biomass
2701-0229 *	Galvanized Silo280/16 Biomass
2701-0228	Galvanized Silo280/12 Biomass
2701-0220 *	Galvanized Silo230/13 Biomass
2701-0219 *	Galvanized Silo230/10 Biomass

Código	Modelo
2701-0211	Galvanized Silo180/9 Biomass
2701-0212	Galvanized Silo210/4 Biomass
2701-0210	Galvanized Silo180/7 Biomass
2701-0209	Galvanized Silo180/5 Biomass
2701-0208	Galvanized Silo180/4 Biomass
2701-0213	Galvanized Silo210/6 Biomass
2701-0214	Galvanized Silo210/8 Biomass
2701-0218 *	Galvanized Silo230/7 Biomass
2701-0217	Galvanized Silo230/5 Biomass
2701-0216	Galvanized Silo210/12 Biomass
2701-0215	Galvanized Silo210/10 Biomass
2701-0207	Galvanized Silo180/2 Biomass

*Sob encomenda especial





ACESSÓRIOS

HEIGHT CM	DIAMETER CM	CAPACITY TONNES	CAPACITY M3	
Galvanized silo 1800/2 Biomass	378	180	2,78	4,27
Galvanized silo 1800/4 Biomass	476	180	4,38	6,74
Galvanized silo 1800/5 Biomass	575	180	5,59	9,20
Galvanized silo 1800/7 Biomass	674	180	7,58	11,66
Galvanized silo 1800/9 Biomass	773	180	9,18	14,13
Galvanized silo 2100/4 Biomass	453	210	4,00	6,15
Galvanized silo 2100/6 Biomass	552	210	6,08	9,35
Galvanized silo 2100/8 Biomass	651	210	8,16	12,55
Galvanized silo 2100/10 Biomass	750	210	10,23	15,74
Galvanized silo 2100/12 Biomass	849	210	12,31	18,94
Galvanized silo 2300/5 Biomass	425	230	5,02	7,73
Galvanized silo 2300/7 Biomass	524	230	7,70	11,84
Galvanized silo 2300/10 Biomass	623	230	10,36	15,94
Galvanized silo 2300/13 Biomass	721	230	13,03	20,05
Galvanized silo 2300/15 Biomass	820	230	15,70	24,15
Galvanized silo 2550/7 Biomass	494	255	7,00	10,77
Galvanized silo 2550/10 Biomass	592	255	10,28	15,81
Galvanized silo 2550/13 Biomass	691	255	13,55	20,84
Galvanized silo 2550/16 Biomass	790	255	16,82	25,87
Galvanized silo 2550/20 Biomass	889	255	20,09	30,91
Galvanized silo 2800/8 Biomass	478	280	8,19	12,60
Galvanized silo 2800/12 Biomass	577	280	12,14	16,68
Galvanized silo 2800/16 Biomass	676	280	16,09	24,76
Galvanized silo 2800/20 Biomass	775	280	20,05	30,85
Galvanized silo 2800/24 Biomass	874	280	24,00	36,93

